# **LEARN MORE ABOUT** + OUR PRODUCTS




**AVAILABLE IN 18 LANGUAGES!** 



www.peli.com

www.pelicatalogue.com









### EUROPE

### **EUROPE, MIDDLE EAST** & AFRICA HEADQUARTERS

PELI PRODUCTS, S.L.U. C/ Provença, 388 Planta 7 08025 Barcelona, Spain Tel +34 934 674 999 Fax +34 934 877 393 www.peli.com

PELI PRODUCTS FRANCE S.A.S. 20/22 Rue des Petits Hôtels 75010 Paris, France Tel +33 (0)1 44 83 95 63 Fax +33 (0)1 44 83 95 68 www.peli.com

PELI HARDIGG UK Unit 4, Brookfield Industrial Estate Leacon Road Ashford Kent TN23 4TU Tel + 44 (0) 1233 895 895 Fax +44 (0) 1233 895 899 www.peli.com

### U.S.A.

### U.S.A. & GLOBAL **HEADQUARTERS**

23215 Early Avenue Torrance, CA 90505 USA Tel 310.326.4700 800.473.5422 (Outside CA) Fax 310.326.3311 www.pelican.com

### **GERMANY**

PELI PRODUCTS GERMANY GmbH Düsseldorf Kö-Bogen **Business Center** Königsallee 2b. 5th Floor 40212 Düsseldorf, Germany Tel +49 (0) 211 882 42 401 Fax +49 (0) 211 882 42 200 www.peli.com

### UAE

PELICAN PRODUCTS FZE JAFZA One Building A office 1511/1512 Jebel Ali Free Zone gate 5 P.O.Box 261008 Dubai - United Arab Emirates Tel +971 4 8876550 Fax +971 4 8876549 www.pelican.com www.peli.com

#### TURKEY

PELI PRODUCTS ANKARA BRANCH OFFICE Beştepe Mahallesi, Nergis Sokak No:7/2 Via Flat İş Merkezi, Plaza Cubes No:87 Tel +90 312 248 13 86 www.peli.com

#### PELICAN HARDIGG

147 North Main Street South Deerfield, MA 01373 Tel (800) 542 73 44 Fax (413) 665 8330 www.pelican.com

We also have offices in Canada, Japan, China, Australia, South Korea and India

#### INJECTION MOULDED CASES - PELI LIMITED LIFETIME\* GUARANTEE

Peli Products, S.L.U. ("Peli") guarantees its injection moulded products for a lifetime\* against breakage or defects in workmanship. Peli™ injection molded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) if properly closed with undamaged o-ring in place unless otherwise stated. To the extent permitted by law, Peli's liability is limited to the case and not its contents or foam. All warranty claims of any nature are barred if the case has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident.

For complete warranty details, see www.peli.com/warranty

\* Lifetime Guarantee not applicable where prohibited by law

### Distributed by:













©2020 Peli Products, S.L.U. All trademarks are registered and/or unregistered trademarks of Pelican Products, Inc., its subsidiaries and/or affiliates. All details included in this catalogue are correct when printed but for most updated information please visit www.peli.com and www.pelicatalogue.com. Part No. 0030-STM-001E DEC 20



Check out our latest posts on Peli Cases, get to know our Pro Users and take part in our differe

more on









# **TABLE** + OF CONTENTS

**FEATURES PELI STORM CASES** PROTECTION SOLUTIONS 4-5

**PELI STORM CASES** 

Small Cases **Medium Cases** 7-8 Large Cases 9-10 **Case Accessories** 10-11 11 **Storm Case Specifications** 



# FEATURES PELI STORM CASES

Rugged, uncompromising and trusted, Peli cases protect what matters to you, from the everyday to the extraordinary. Peli Storm Case <sup>™</sup> is a rugged range of IP67 certified, injection moulded cases that are built to the highest standards. Made of high-performance, lightweight HPX ™ resin, these impactresistant cases are extremely durable even at low temperatures. Regardless of the size or shape, there is a Peli Storm case for every kind of sensitive equipment.


## + PRESS & PULL™ LATCHES

These smooth-opening, patented latches hold tight under pressure and impact with easy-opening performance. Tested to over 180 kg (400lbs.), yet open with a simple release button



## + DOUBLE-LAYER, **SOFT-GRIP HANDLES**

When the weather goes south you'll find a secure grip that won't slip. An in-tool vulcanizing process over-



# **+ VORTEX® PRESSURE RELEASE**

The built-in technology of Peli Storm Cases automatic pressure equalisation valve is also a patented feature. During air travel it prevents vacuum lock to make opening the case natural, even after extreme altitude

changes. At the same time, the microscopic filter blocks water molecules and dust particles so your gear stays clean in the Gobi Desert and dry on the Nile River.



### WATERTIGHT

All Peli Storm cases are IP67 certified, against dust and water ingress.



## + MOULDED-IN **LOCKABLE HASPS**

Twin mating hasp holes on the rim of the case allow attachment of padlocks to keep your gear in and thieves out. And check out Peli's TSA approved cable padlock. Now you can check-in your luggage with confidence while flying. The Travel Security Agency has the key, and you have the combination.



### + RUGGED IN-LINE WHEELS

Shielded from dust, dirt and other contaminants - ball bearing wheels provide lowfriction, low-drag rolling with retractable handles for easy movement of heavy loads.



### + TESTED

The Peli™ Case design is the result of multiple generations of refinement. This evolution is proven through a battery of rigorous lab tests including drop, vibration, leak, heat and dust tests.







# PELI™STORM CASE **PROTECTION** SOLUTIONS



Peli<sup>™</sup> Storm Cases are available empty or with any of the following protection solutions.

Peli™ Case shown

## + PICK N PLUCK™ FOAM

An easy, do-it-yourself system for the interior of the case. Layers of foam are pre-scored in 1,27 cm or 2,54 cm cubes. Simply lay your equipment on the foam, tape or chalk to mark the foam, and pluck away. Always allow at least 2,5 cm of foam between your equipment and the case wall.

The following cases ship with solid foam instead of Pick  $\ensuremath{\mathsf{N}}$ Pluck™ Foam: iM3100. iM3200. iM3220. iM3300. iM3410.





# + TREKPAK™ DIVIDERS\*

The TrekPak™ system uses pre-installed wall sections, divider panels, locking pins and an infallible cutting tool. Just lay your gear in the case, measure and cut the divider sections and lock them in place with the steel U-pins.

\* Trekpak $^{\text{TM}}$  is available for the following models: iM2200, iM2300, iM2400, iM2450, iM2500, iM2600, iM2620, iM2720, iM2950



## + CUSTOM FOAM SOLUTIONS

Custom foam and extreme solutions such as deck mount suspension systems will keep your delicate items protected on the inside.



### **BEZEL KITS**



Many Peli™ Storm cases can be adapted for use with electronic interface panels by using a Bezel Kit. Pre-drilled holes and stainless steel screws make fabricating a custom case a fast and accurate proposition.

A polymer o-ring seals the panel so the base of the case remains watertight, even with the lid open.



Bezel Kit

### + LID ORGANISERS

Made of simulated leather or ballistic nylon with nylon zippers. A wide variety of pocket sizes protect and keep your gear organised. They install easily with Velcro® strips (included).



	LID ORGANISERS OPTIONS				
	PHOTOGRAPHER'S ORGANISER	LID ORGANISER	UTILITY ORGANISER		
CASE					
iM2300	iM24XX-PHOTOPALLET	iM2300-LIDORG			
iM2370			iM2370-UTILITYORG		
iM2400	iM24XX-PHOTOPALLET	iM24XX-LIDORG			
iM2435		iM2435-DIV-LIDORG			
iM2450	iM24XX-PHOTOPALLET	iM24XX-LIDORG			
iM2500			iM2500-UTILITYORG		
iM2600		iM26XX-LIDORG	iM26XX-UTILITYORG		
iM2620		iM26XX-LIDORG	iM26XX-UTILITYORG		
iM2700			iM27XX-UTILITYORG		
iM2720			iM27XX-UTILITYORG		
iM2750			iM27XX-UTILITYORG		
iM2875			iM2875-UTILITYORG		
iM2950			iM29XX-UTILITYORG		
iM2975			iM29XX-UTILITYORG		
iM3075			iM3075-UTILITYORG		
	Present an array of compartments including an assortment of elastic strapping and mesh nylon zipper pockets to house, protect, and organise your gear.	Are styled with deep expandable folder pockets and sleeves for various office attaché style components.	Offer various folder pockets, sleeves, and include a vast array of mesh nylon zipper pockets to house, protect, and organise gear.		

Lid Organisers are installed with Velcro® (included)

# + ELECTRONIC **INSTALLATIONS**

Peli™ Storm Case allows customisation for electronics. The copolymer material can be machined, drilled and

sanded smooth. This makes the Peli™ Storm Case suitable for use with bulkhead connectors.



For the most up-to-date information, please visit www.peli.com or www.pelicatalogue.com

### + PADDED DIVIDERS

An alternative to Peli<sup>™</sup> foam is our optional Padded Divider Sets. The compartments are connected with Velcro® so you can easily change the configuration according to your needs.

PADDED DIVIDER OPTIONS					
CASE	LAYERS	DIVIDER SET ONLY			
iM2050	1	iM2050-DIV			
iM2075	1	iM2075-DIV			
iM2100	1	iM2100-DIV			
iM2200	1	iM2200-DIV			
iM2300	1	iM2300-DIV			
iM2306	1	iM2306-DIV			
iM2370	1	iM2370-DIV			
iM2400	1	iM2400-DIV			
iM2450	1	iM2450-DIV			
iM2500	1	iM2500-DIV			
iM2600	1	iM2600-DIV			
iM2620	1	iM2620-DIV			
iM2700	1	iM2700-DIV			
iM2720	1	iM2720-DIV			

iM2750-DTV

iM2875-DIV

iM2950-DIV iM2975-DIV

iM3075-DIV

## + WE CUSTOMISE **YOUR LOGO**

iM2750

iM2875

iM2950

iM2975

iM3075

1

2

Personalise your case with your company logo or have your name engraved on the nameplate. Logos can be applied in multiple colours as a Mylar® decal or as a vibrant fade-resistant, scratch-resistant hot-stamped ink.



CASE CONTENTS NOT INCLUDED

CASE CONTENTS NOT INCLUDED

# **PELI**"STORM

# **SMALL CASES**

Perfect for small gear and instruments with all the features found in larger cases: strong HPX™ resin construction, Vortex<sup>™</sup> valve, and Press & Pull<sup>™</sup> latches.

iM2050 CASE Similarly sized Peli Case: 1200

INTERNAL DIMS: 24.1 x 19.1 x 10.8 cm (9.5" x 7.5" x 4.25") **EXTERNAL DIMS:** 30 x 24.9 x 11.9 cm (11.8" x 9.8" x 4.7")

LID/BOTTOM DEPTH: 3.8 cm / 7 cm (1.5" / 2.75") WEIGHT:

1.36 kg (3 lbs) WITH FOAM






iM2050GP2 Similarly sized Peli Case: 1200

INTERNAL DIMS: 24.1 x 19 x 10.8 cm (9.5" x 7.5" x 4.25") EXTERNAL DIMS: 30 x 24.9 x 11.9 cm (11.8" x 9.8" x 4.7") LID/BOTTOM DEPTH: 3.8 cm / 7 cm (1.5" / 2.75")

WEIGHT: 1.36 kg (3 lbs) WITH FOAM 1.22 kg (2.7 lbs) NO FOAM









iM2075 Similarly sized Peli Case: 1300

INTERNAL DIMS: 24.1 x 19.1 x 18.4 cm (9.5" x 7.5" x 7.25") EXTERNAL DIMS: 30 x 24.9 x 19.6 cm (11.8" x 9.8" x 7.7") LID/BOTTOM DEPTH: 3.8 cm / 14.6 cm (1.5" / 5.75") WEIGHT:

1.68 kg (3.7 lbs) WITH FOAM 1.5 kg (3.3 lbs) NO FOAM





iM2100 Similarly sized Peli Case: 1400

For the most up-to-date information, please visit www.peli.com or www.pelicatalogue.co

INTERNAL DIMS: 33 x 23.4 x 15.2 cm (13" x 9.2" x 6") EXTERNAL DIMS: 36.1 x 29 x 16.5 cm (14.2" x 11.4" x 6.5") LID/BOTTOM DEPTH: 5.1 cm / 10.2 cm (2" / 4") 2.22 kg (4.9 lbs) WITH FOAM

1.91 kg (4.2 lbs) NO FOAM



CASE CONTENTS NOT INCLUDED

# PELI"STORM

# **MEDIUM CASES**

From firefighters, EMTs, outdoor enthusiasts, and law enforcement to industrial engineers and photographers, there's a Peli™ Storm Case™ for every professional. Built strong in three standard configurations: Pick N Pluck™ foam, padded dividers (on selected models) or empty.

### iM2200 STORM CASE Similarly sized Peli Case: 1450

INTERNAL DIMS: 38.1 x 26.7 x 15.2 cm (15" x 10.5" x 6") EXTERNAL DIMS:

41.1 x 32.3 x 16.8cm (16.2" x 12.7" x 6.6") LID/BOTTOM DEPTH:

5.1 cm / 10.2 cm (2" / 4") WEIGHT: 2.77 kg (6.1 lbs) WITH FOAM

2.22 kg (4.9 lbs) NO FOAM



# iM2275 STORM CASE

INTERNAL DIMS: 35.9 x 33.5 x 25.1 cm (14.12" x 13.19" x 9.9")

EXTERNAL DIMS: 38.7 x 39.4 x 26 cm (15.25" x 15.5" x 10.22")

LID/BOTTOM DEPTH: 8.1 cm / 16 cm (3.2" / 6.3")

4.65 kg (10.25 lbs) WITH FOAM 3.63 kg (8 lbs) NO FOAM



### iM2300 STORM CASE Similarly sized Peli Case: 1500

INTERNAL DIMS: 43.2 x 29.7 x 15.7cm (17" x 11.7" x 6.2")

EXTERNAL DIMS: 46.2 x 35.3 x 17cm (18.2" x 13.9" x 6.7")

LID/BOTTOM DEPTH: 5.1 cm / 10.7 cm (2" / 4.2")

3.22 kg (7.1 lbs) WITH FOAM 2.68 kg (5.9 lbs) NO FOAM





### iM2306 STORM CASE

INTERNAL DIMS: 43.2 x 16 x 15.7cm (17" x 6.3" x 6.2")

EXTERNAL DIMS: 46.2 x 21.3 x 17cm (18.2" x 8.4" x 6.7") LID/BOTTOM DEPTH: 5.1 cm / 10.7 cm (2" / 4.2") WEIGHT:

2.13 kg (4.7 lbs) WITH FOAM 1.95 kg (4.3 lbs) NO FOAM

CASE CONTENTS NOT INCLUDED



### **iM2370 STORM LAPTOP CASE**

INTERNAL DIMS: 46.2 x 30.7 x 13.2 cm (18.2" x 12.1" x 5.2") EXTERNAL DIMS:

50.8 x 37.3 x 14.7 cm (2" x 14.7" x 5.8") LID/BOTTOM DEPTH: 4.3 cm / 8.9 cm (1.7" / 3.5") WEIGHT:

3.27 kg (7.2 lbs) WITH FOAM 2.59 kg (5.7 lbs) NO FOAM





\* Available upon a minimum quantity orde

### iM2400 STORM CASE Similarly sized Peli Case: 1520

INTERNAL DIMS: 45.7 x 33 x 17 cm (18" x 13" x 6.7")

EXTERNAL DIMS: 48.8 x 38.6 x 18.5 cm (19.2" x 15.2" x 7.3")

LID/BOTTOM DEPTH: 5.1 cm / 11.9 cm (2" / 4.7")

WEIGHT: 3.54 kg (7.8 lbs) WITH FOAM





### iM2435 STORM CASE

INTERNAL DIMS: 44.5 x 16.5 x 39.4 cm

(17.5" x 6.5" x 15.5") EXTERNAL DIMS: 47.3 x 23.5 x 41.9 cm

(18.63" x 9.25" x 16.5") LID/BOTTOM DEPTH: 5.1 cm / 34.3 cm (2"/13.5")

WEIGHT:

5.06 kg. (11.15 lbs) WITH FOAM 4.54 kg (10 lbs) NO FOAM



### **iM2450 STORM CASE**

**INTERNAL DIMS:** 45.7 x 33 x 21.3 cm (18" x 13" x 8.4")

EXTERNAL DIMS: 48.8 x 38.6 x 22.9 cm (19.2" x 15.2" x 9")

LID/BOTTOM DEPTH: 5.1 cm / 16.3 cm (2" / 6.4")

WETGHT:

4.04 kg (8.9 lbs) WITH FOAM 3.36 kg (7.4 lbs) NO FOAM





### iM2500 STORM CASE Similarly sized Peli Case: 1510

INTERNAL DIMS: 52 x 29.2 x 18.3 cm (20.5" x 11.5" x 7.2")

EXTERNAL DIMS: 55.1 x 35.2 x 22.6 cm (21.7" x 14.1" x 8.9") LID/BOTTOM DEPTH:

5.1 cm / 13.2 cm (2" / 5.2") WEIGHT:

6.21 kg (13.7 lbs) WITH FOAM 5.03 kg (11.1 lbs) NO FOAM





iM2600 STORM CASE Similarly sized Peli Case: 1550

INTERNAL DIMS: 50.8 x 35.6 x 19.6 cm (2" x 14" x 7.7")

EXTERNAL DIMS: 53.8 x 40.6 x 21.1 cm (21.2" x 16" x 8.3")

LID/BOTTOM DEPTH: 5.1 cm / 14.5 cm (2" / 5.7")

WEIGHT:

5.26 kg (11.6 lbs) WITH FOAM 3.86 kg (8.5 lbs) NO FOAM





## iM2620 STORM CASE

INTERNAL DIMS: 50.8 x 35.6 x 25.4 cm (2" x 14" x1")

EXTERNAL DIMS: 53.8 x 40.6 x 26.9 cm (21.2" x 16" x 10.6")

LID/BOTTOM DEPTH: 5.1 cm / 20.3 cm (2" / 8")

WEIGHT: 6.58 kg (14.5 lbs) WITH FOAM 5.67 kg (12.5 lbs) NO FOAM



# **TUNISIA RUINS SAVED**

Christoph Malin, Astrophotographer



# \* STORIES

At remote ancient Roman ruins working on time-lapse astrophotography, packing the car at 04:00 am. A little later on a winding country road I notice that the rear trunk door is open and my iM2370 is gone! OMG. Driving back, looking left and right off the road to see the case (with all the production data and equipment worth 15K Euro). Soon after the gate lays the case, flat on the dirt road. Scratched and dusty, but it's a Peli case. Nothing damaged inside, of course. The production is safe again, with 3 TB of irreplaceable data, stored inside that Peli™ Storm Case™ iM2370.

# PELI"STORM

# LARGE CASES

In the lab or out in the field, a large Peli™ Storm Case™ with HPX™ resin construction stores and protects valuable and sensitive equipment from the elements. Pick N Pluck™ foam adds extra protection from shock during transport.



### iM2700 STORM CASE Similarly sized Peli Case: 1600

INTERNAL DIMS: 55.9 x 43.2 x 20.3 cm (22" x 17" x 8.")

EXTERNAL DIMS: 62.5 x 50 x 21.8 cm (24.6" x 19.7" x 8.6")

LID/BOTTOM DEPTH: 5.1 cm / 15.2 cm (2" / 6")

WEIGHT: 6.53 kg (14.4 lbs) WITH FOAM

5.03 kg (11.1 lbs) NO FOAM



#### (24.6" x 19.7" x 11.7") LID/BOTTOM DEPTH: 5.1 cm / 20.3 cm

INTERNAL DIMS:

EXTERNAL DIMS: 62.5 x 50 x 29.7 cm

55.9 x 43.2 x 25.4 cm (22" x 17" x 1")

(2" / 8") WEIGHT: 9.98 kg (22 lbs) WITH FOAM 7.62 kg (16.8 lbs) NO FOAM



### **iM2875 STORM CASE**

INTERNAL DIMS: 55.9 x 43.2 x 32.3 cm (22" x 17" x 12.7")

EXTERNAL DIMS: 62.5 x 50 x 36.6 cm (24.6" x 19.7" x 14.4")

LID/BOTTOM DEPTH: 5.1 cm / 27.2 cm (2" / 10.7")

WEIGHT: 10.61 kg (23.4 lbs) WITH FOAM 8.39 kg (18.5 lbs) NO FOAM



INTERNAL DIMS: 57.2 x 53.6 x 29 cm (22.5" x 21.1" x 11.4")

EXTERNAL DIMS: 63.2 x 60.2 x 33.3 cm (24.9" x 23.7" x 13.1")

LID/BOTTOM DEPTH: 5.1 cm / 23.9 cm (2" / 9.4")

WETGHT: 11.16 kg (24.6 lbs) WITH FOAM 9.12 kg (20.1 lbs) NO FOAM



# iM2950 STORM CASE Similarly sized Peli Case: 1650

INTERNAL DIMS: 73.7 x 45.7 x 26.7 cm (29" x 18" x 10.5") EXTERNAL DIMS:

79.5 x 51.8 x 31 cm (31.3" x 20.4" x 12.2") LID/BOTTOM DEPTH: 5.1 cm / 21.6 cm (2" / 8.5") WEIGHT:

13.02 kg (28.7 lbs) WITH FOAM 9.43 kg (20.8 lbs) NO FOAM



## iM2975 STORM CASE

INTERNAL DIMS: 73.7 x 45.7 x 35.1 cm (29" x 18" x 13.8") EXTERNAL DIMS:

79.5 x 51.8 x 39.4 cm (31.3" x 20.4" x 15.5") LID/BOTTOM DEPTH: 5.1 cm / 30 cm (2" / 11.8")

WEIGHT: 13.38 kg (29.5 lbs) WITH FOAM 10.34 kg (22.8 lbs) NO FOAM





\* Available upon a minimum quantity orde

CASE CONTENTS NOT INCLUDED CASE CONTENTS NOT INCLUDED

8 PELI STORM CASE CATALOGUE

For the most up-to-date information, please visit www.peli.com or www.pelicatalogue.com For the most up-to-date information, please visit www.peli.com or www.pelicatalogue.com PELI STORM CASE CATALOGUE 9

INTERNAL DIMS: 75.7 x 52.8 x 45.2 cm (29.8" x 20.8" x 17.8")

EXTERNAL DIMS: 84.6 x 62 x 49 cm (33.3" x 24.4" x 19.3")

LID/BOTTOM DEPTH: 10.2 cm / 34.9 cm (4" / 13.75")

WEIGHT: 20.41 kg (45 lbs) WITH FOAM 14.29 kg (31.5 lbs) NO FOAM



# iM3100 STORM CASE Similarly sized Peli Case: 1700

INTERNAL DIMS: 92.7 x 35.6 x 15.2 cm (36.5" x 14" x 6")

EXTERNAL DIMS: 101.1 x 41.9 x 17 cm (39.8" x 16.5" x 6.7")

LID/BOTTOM DEPTH: 5.1 cm / 10.2 cm (2" / 4")

WEIGHT: 8.98 kg (19.8 lbs) WITH FOAM 6.89 kg (15.2 lbs) NO FOAM



### iM3200 STORM CASE Similarly sized Peli Case: 1720

INTERNAL DIMS: 111.8 x 35.6 x 15.2 cm (44" x 14" x 6")

**EXTERNAL DIMS:** 119.9 x 41.9 x 17 cm (47.2" x 16.5" x 6.7")

LID/BOTTOM DEPTH: 5.1 cm / 10.2 cm (2" / 4")

WEIGHT: 9.57 kg (21.1 lbs) WITH FOAM

8.03 kg (17.7 lbs) NO FOAM



INTERNAL DIMS: 111.8 x 35.6 x 21.6 cm (44" x 14" x 8.5")

**EXTERNAL DIMS:** 119.9 x 41.9 x 23.4 cm (47.2" x 16.5" x 9.2")

LID/BOTTOM DEPTH: 5.1 cm / 16.5 cm (2" / 6.5")

WEIGHT:

11.25 kg (24.8 lbs) WITH FOAM 9.25 kg (20.4 lbs) NO FOAM





### iM3300 STORM CASE Similarly sized Peli Case: 1750

INTERNAL DIMS: 128.3 x 35.6 x 15.2 cm (50.5" x 14" x 6")

EXTERNAL DIMS: 136.7 x 41.9 x 17 cm (53.8" x 16.5" x 6.7")

LID/BOTTOM DEPTH: 5.1 cm / 10.2 cm (2" / 4")

WEIGHT:

10.43 kg (23 lbs) WITH FOAM 8.66 kg (19.1 lbs) NO FOAM



### iM3410 STORM CASE

INTERNAL DIMS: 138.4 x 25.4 x 15.2 cm (54.5" x 1" x 6")

EXTERNAL DIMS: 146.7 x 32.3 x 16.9 cm (57.74" x 12.71" x 6.67")

LID/BOTTOM DEPTH: 5.1 cm / 10.2 cm (2" / 4")

WEIGHT: 9.1 kg (20 lbs) WITH FOAM 8.2 kg (18 lbs) NO FOAM



CASE CONTENTS NOT INCLUDED





Check how to install all accessories through our easy step-by-step Tutorial videos









**Padded Dividers** 





Trekpak™ Dividers

Shoulder Straps

# PELI STORM CASE SPECIFICATIONS AND FEATURES

iM2075 24.1 x 19.1 x 18.4 30 x 24.9 x 19.6 3.8 cm 14.6 cm 1.68 kg 1.5 kg -29	/60° C
iM2075 24.1 x 19.1 x 18.4 30 x 24.9 x 19.6 3.8 cm 14.6 cm 1.68 kg 1.5 kg 12.9 kg -29 iM2100 33 x 23.4 x 15.2 36.1 x 29 x 16.5 5.1 cm 10.2 cm 2.22 kg 1.91 kg 15.34 kg -29	/ 60° C ■ □ ■
₹ iM2100 33 x 23.4 x 15.2 36.1 x 29 x 16.5 5.1 cm 10.2 cm 2.22 kg 1.91 kg 15.34 kg -29	
	/ 40° C ■□
iM2200 38.1 x 26.7 x 15.2 41.1 x 32.3 x 16.8 5.1 cm 10.2 cm 2.77 kg 2.22 kg 20.03 kg -29	700 C
iM2275 35.9 x 33.5 x 25.1 38.7 x 39.4 x 26 8.1 cm 16 cm 4,65 kg 3.63 kg 31.2 kg -29	/ 60° C ■
iM2300 43.2 x 29.7 x 15.7 46.2 x 35.3 x 17 5.1 cm 10.7 cm 3.22 kg 2.68 kg 24.15 kg -29	/ 60° C ■ □ ■
iM2306 43.2 x 16 x 15.7 46.2 x 21.3 x 17 5.1 cm 10.7 cm 2.13 kg 1.95 kg 14.84 kg -29	/ 60° C ■ ■
iM2370 46.2 x 30.7 x 13.2 50.8 x 37.3 x 14.7 4.3 cm 8.9 cm 3.27 kg 2.59 kg 25.68 kg -29	/ 60° C ■■*
iM2370 46.2 x 30.7 x 13.2 50.8 x 37.3 x 14.7 4.3 cm 8.9 cm 3.27 kg 2.59 kg 25.68 kg -29 iM2400 45.7 x 33 x 17 48.8 x 38.6 x 18.5 5.1 cm 11.9 cm 3.54 kg 2.95 kg 31.96 kg -29 iM2435 44.5 x 16.5 x 39.4 47.3 x 23.5 x 41.9 5.1 cm 34.3 cm 5.06 kg 4.54 kg 31.98 kg -29	/ 60° C ■□■
iM2435 44.5 x 16.5 x 39.4 47.3 x 23.5 x 41.9 5.1 cm 34.3 cm 5.06 kg 4.54 kg 31.98 kg -29	/ 60° C ■
iM2450 45.7 x 33 x 21.3 48.8 x 38.6 x 22.9 5.1 cm 16.2 cm 4.04 kg 3.36 kg 28.86 kg -29	/ 60° C ■ ■
iM2500 52 x 29.2 x 18.3 55.1 x 35.2 x 22.6 5.1 cm 13.2 cm 6.21 kg 5.03 kg 39.64 kg -29	/ 60° C ■□■
iM2600 50.8 x 35.6 x 19.6 53.8 x 40.6 x 21.1 5.1 cm 14.5 cm 5.26 kg 3.86 kg 42.28 kg -29	/ 60° C ■□■
iM2620 50.8 x 35.6 x 25.4 53.8 x 40.6 x 26.9 5.1 cm 20.3 cm 6.58 kg 5.67 kg 58.93 kg -29	/ 60° C ■ ■
iM2700 55.9 x 43.2 x 20.3 62.5 x 50 x 21.8 5.1 cm 15.2 cm 6.53 kg 5.03 kg 63.27 kg -29	/ 60° C ■ □ ■
iM2720 55.9 x 43.2 x 25.4 62.5 x 50 x 29.7 5.1 cm 20.3 cm 9.98 kg 7.62 kg 85.3 kg -29	/ 60° C ■□■
iM2750 55.9 x 43.2 x 32.3 62.5 x 50 x 36.6 5.1 cm 27.2 cm 10.61 kg 8.39 kg 105.97 kg -29	/ 60° C ■□■
iM2875 57.2 x 53.6 x 29 63.2 x 60.2 x 33.3 5.1 cm 23.9 cm 11.16 kg 9.12 kg 117.58 kg -29	/ 60° C ■ ■
iM2950 73.7 x 45.7 x 26.7 79.5 x 51.8 x 31 5.1 cm 21.6 cm 13.02 kg 9.43 kg 118.23 kg -29	/ 60° C ■ -* ■
	/ 60° C ■ ■
W	/ 60° C ■ ■
	/ 60° C ■ ■
iM3200 111.8 x 35.6 x 15.2 119.9 x 41.9 x 17 5.1 cm 10.2 cm 9.57 kg 8.03 kg 77.48 kg -29	/ 60° C ■■*
iM3220 111.8 x 35.6 x 21.6 119.9 x 41.9 x 23.4 5.1 cm 16.5 cm 11.25 kg 9.25 kg 108.17 kg -29	/ 60° C ■■
iM3300 128.3 x 35.6 x 15.2 136.7 x 41.9 x 17 5.1 cm 10.2 cm 10.43 kg 8.66 kg 88.85 kg -29	/ 60° C ■■*
iM3410   138.4 x 25.4 x 15.2   146.7 x 32.3 x 16.9   5.1 cm   10.2 cm   9.1 kg   8.2 kg   N/A   -29	/ 60° C ■

The following certificates apply to all Peli™ Storm Cases: MIL-STD-810F, FED-STD-101C, ATA 300, IP67

\* Available upon a minimum quantity order

Refer to www.peli.com for specific accessories available

for each case model

### From lid organisers and padded shoulder straps, to TSA Locks and humidity indicators, Peli™ offers a broad range of case accessories.



TSA Lock



Peli Desiccant

(Silica Gel)



**Utility Organiser** 





Bezel Kit

Lid Stays

<sup>\*</sup> Available upon a minimum quantity order